

TABLE OF CONTENTS

PART A - General

| | HQ CONTROL DATE | EFFECTIVE DATE | AMENDMENT NUMBER |
|--|--------------------|-------------------|---------------------|
| 1 Issuance and Applicability | 11/16/04 | 12/27/04 | 2 |
| 2 Definitions and Abbreviations | 11/16/04 | 12/27/04 | 1 |
| 3 Ratings and Limitations | 01/30/04 | 05/30/08 | 5 |
| 4 Summary of Special Authorizations and Limitations | 09/23/98 | 06/05/07 | 1 |
| 5 Exemptions | 02/20/98 | (Not used) | |
| 7 Designated Persons | 12/19/06 | 02/27/07 | 2 |
| 25 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media | 11/16/04 | (Not used) | |
| 60 European Aviation Safety Authority Ratings for Repair Stations Located Outside the United States | 11/16/04 | (Not used) | |
| 101 Additional Fixed Locations | 11/16/04 | (Not used) | |
| 449 Antidrug and Alcohol Misuse Prevention Program | 01/22/04 | 07/20/09 | 1 |

TABLE OF CONTENTS

PART D - Additional Maintenance Authorizations & Limitations

| | | HQ CONTROL DATE | EFFECTIVE DATE | AMENDMENT NUMBER |
|-----|--|--------------------|-------------------|---------------------|
| 100 | Work to be Performed at a Place Other Than the Repair Station Fixed Location(s) | 11/16/04 | 12/27/04 | 1 |
| 107 | Line Maintenance Authorization | 11/16/04 | (Not used) | |

A002. Definitions and Abbreviations

HQ Control: 11/16/04
HQ Revision: 050

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in the Title 14 Code of Federal Regulations (CFR) Regulations and Title 49 United States Code as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

**Bilateral Aviation
Safety Agreement
(BASA)**

An executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.

Certificate Holder

In these operations specifications the term "certificate holder" shall mean the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

CFR

Code of Federal Regulations

Class rating

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

**Domestic Repair
Station**

A certificated repair station located in the United States.

Exemption

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of CFR 14, Part 11.

**FAA Accountable
Manager**

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

FAA Form 8000-4-1

The FAA Form 8000-4-1 has been replaced with the form contained within this operations specifications application (OPSS) for the generation of the 14 CFR Part 145 Repair Station Operations Specifications.

Foreign Repair Station

A certificated repair station located outside of the United States.

**Geographic
Authorization**


An approval provided to a foreign repair station to perform maintenance support under contract for a U.S. air carrier, or operator of U.S. - registered aircraft under 14 CFR Part 129, at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to the need of a U.S. air carrier or Part 129 foreign operator for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

EASA

European Aviation Safety Agency

| | |
|---|---|
| <u>EASA Accountable Manager</u> | The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full member Authority. |
| <u>Limited Rating</u> | Rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts. |
| <u>Limited Ratings - Specialized Services</u> | Rating issued for a special maintenance function when the function is performed in accordance with a specification or data acceptable to the Administrator. |
| <u>Line Maintenance</u> | Any unscheduled maintenance resulting from unforeseen events; or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities. |
| <u>Maintenance</u> | The inspection, overhaul, repair, preservation, and the replacement of parts, but excludes preventive maintenance. |
| <u>Maintenance Implementation Procedures (MIP)</u> | Procedures for implementing the provisions of a-BASA that apply to maintenance. |
| <u>MOE</u> | Maintenance Organization Exposition - Pertains to European Aviation Safety Agency member countries that use an MOE in place of a Repair Station Manual and a Quality Control Manual. |
| <u>Preventive Maintenance</u> | As defined in Appendix A subparagraph (c) of 14 CFR Part 43. |
| <u>QCM</u> | Quality Control Manual |
| <u>RSM</u> | Repair Station Manual |
| <u>Substantial Maintenance</u> | Any activity involving a C-check (routine airframe maintenance) or greater maintenance; any engine maintenance requiring case separation or teardown; and/or major alterations or major repairs performed on airframes, engines, or propellers. |


-
-
1. Issued by the Federal Aviation Administration.
 2. These Operations Specifications are approved by direction of the Administrator.


Robinson, Wilbert J.

Principal Maintenance Inspector

WP15

3. Date Approval is effective: 12/27/04 Amendment Number: 1
4. I hereby accept and receive the Operations Specifications in this paragraph.


Eggleston, Steve

Manager

Date: 12/27/04

A003. Ratings and Limitations

HQ Control: 01/30/04
HQ Revision: 010

The Certificate Holder is authorized the following Ratings and/or Limitations:

Class Ratings

None Authorized

Limited Ratings

| <u>Rating</u> | <u>Manufacturer</u> | <u>Make / Model</u> | <u>Limitations</u> |
|----------------------|----------------------------|--|--|
| Airframe | General Electric | CJ-610, CF-700, and J85 Series | Remove and Replace engines in accordance with aircraft manufacturer's instructions. |
| | Pratt & Whitney | JT-15 | Remove and Replace engine in accordance with aircraft manufacturer's instructions. |
| | Garrett | TPE-331 & TPE-731 | Remove and Replace engine in accordance with aircraft manufacturer's instructions. |
| PowerPlant | General Electric | CJ-610, CF-700, and J85 Series | Overhaul and Repair in accordance with manual P/N 136, 137, 154, 186, and 2J-J85 series Tech Orders |
| | Garrett | TPE-331 | Overhaul and Repair in accordance with manual P/N 72-IR-10, 72-IR-15, 72-00 series, 72-01 series, and individual component manuals |
| | Garrett | TFE-731 | Repair in accordance with manual P/N 72-00 and 72-02 |
| | Pratt and Whitney | JT-15 | Repair in accordance with manual P/N 3015442 and 3017544 |
| Accessories | General Electric | Fuel Filter Assy - 37C311075P103 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Fuel Pressurizing Valve - 37C301819G001 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Fuel Drain Valve - 37C301777G004 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Pressurizing and Drain Valve - 3006T88G01 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |

Limited Ratings

| <u>Rating</u> | <u>Manufacturer</u> | <u>Make / Model</u> | <u>Limitations</u> |
|----------------------|----------------------------|---|---|
| | General Electric | Fuel Nozzle - 37D401657P110, 37D401657P115 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | IGV Actuator Assy - 37E501459P101, 37E501459P103, 5002T48P02 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Bleed Valve - 37E501502P110, 37E501502P113 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Feedback Cable Assy - 5000T47P01, 5000T47P03, 6003T46P01 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Synchronizing Cable Assy - 4006T61P01 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Adjustable Link - 37C301167P101, 3002T23P02 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Exhaust Pressure Probe - 37D401739P101, 37D401739P108, 37D401739P110, 37D401739P111, 37D401739P112, 37D401739P113, 37D401739P114, 37D401739P115, 37D401739P116, 5014T22G01, 5014T22G02, 5014T22G03, 5014T22G04, 5014T22G05, 5014T22G06, 5014T22G07, 5014T22G08, 5014T22G09, 5014T22G10, 5014T22G11, 5014T22G12, 4921T39G03, 4921T39G04, 4921T39G05, 4921T39G06, 4921T39G07, 4921T39G08, 4921T39G09, 4921T39G10, 4921T39G11, 4921T39G12. | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Oil Tank Assy - 6002T03P04, 6003T09P04, 6003T89P01, 6003T89P02 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Oil Filter Assy - 37C301062P103, 3005T78G01, 3005T78G01, 3015TOOG01, 3015TOOG03, 3015TOOG04 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |


Limited Ratings

| <u>Rating</u> | <u>Manufacturer</u> | <u>Make / Model</u> | <u>Limitations</u> |
|----------------------|----------------------------|--|---|
| | General Electric | Oil Tank Relief Valve - 37C301075P102, 37C301075P104, 37C301075P105 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Air Leakage Check Valve Assy - 37D401330G003, 4001T94G05, 4001T94G06, 4001T94G08, 4001T94G09, 4003T41G01 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Ignition Lead Assy - 37C311098P101, 37C311098P102 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |
| | General Electric | Fan Scavenge Pump - 4003T54P01 | Overhaul all accessories in accordance with GE Accessories Overhaul Manual SEI-154. |

Limited Ratings - Specialized Services

| <u>Rating</u> | <u>Specifications</u> | <u>Limitations</u> |
|----------------------|------------------------------|---------------------------|
| None Authorized. | | |

1. Issued by the Federal Aviation Administration.
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.


Robinson, Wilbert J.

Principal Maintenance Inspector

WP15

4. Date Approval is effective: 5/30/08
5. I hereby accept and receive the Operations Specifications in this paragraph.

Amendment Number: 5


Eggleston, Steve

Manager

Date: 5/30/08

A004. Summary of Special Authorizations and Limitations

HQ Control: 9/23/1998
HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

| | <u>Reference Paragraphs</u> |
|--|---------------------------------|
| Conduct operations choosing to have an antidrug and alcohol misuse prevention program. | A449 |

| | |
|--|------|
| Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location. | D100 |
|--|------|

b. The certificate holder is *not authorized and shall not*:

| | |
|-----------------|------|
| Use Exemptions. | A005 |
|-----------------|------|

| | |
|--|------|
| Perform work, including continuous operations, at additional locations other than at its primary fixed location. | A101 |
|--|------|

| | |
|--|------|
| Perform maintenance in accordance with foreign repair station geographic authorizations. | B050 |
|--|------|

| | |
|---|------|
| Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station. | D107 |
|---|------|


-
1. Issued by the Federal Aviation Administration.
 2. Support information reference:
 3. These Operations Specifications are approved by direction of the Administrator.


Schaadt, Michael A.

Principal Avionics Inspector

WP15

4. Date Approval is effective: 6/5/07 Amendment Number: 1
5. I hereby accept and receive the Operations Specifications in this paragraph.


Eggleston, Steve

Manager

Date: 6/5/07

A007. Designated Persons

HQ Control: 12/19/06
HQ Revision: 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations


| Title | Name | Parts Authorized |
|-----------------|------------------|------------------|
| Vice President | Nimmo, Gregg | A,D |
| Manager | Eggleston, Steve | A,D |
| Service Manager | Elia, Steve | A,D |

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive INFO Messages

| Name | Email Address | Telephone No. | Type of Information to Receive |
|------------------|----------------------------|---------------|--------------------------------|
| Eggleston, Steve | seggleston@dkrturbines.com | 831-636-8824 | ALL |


1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.


Schaadt, Michael A.

Principal Avionics Inspector

WP15

3. Date Approval is effective: 2/27/07 Amendment Number: 2
4. I hereby accept and receive the Operations Specifications in this paragraph.


Eggleston, Steve

Manager

Date: 2/27/07

A449. Antidrug and Alcohol Misuse Prevention Program

HQ Control: 01/22/04
HQ Revision: 000

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 sightseeing operation as defined by 14 CFR §135.1(c).
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 121 appendices I and J and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1


| Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records: | |
|--|------------------------|
| Telephone Number: | A3 (734) 544-3400 |
| Address: | 843 Willow Run Airport |
| Address: | N/A |
| City: | Ypsilanti |
| State: | MI |
| Zip code: | 48198 |

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

1. The Certificate Holder applies for the Operations in this paragraph.
2. Support information reference: Kalitta Charters, LLC requested A3 be added to the telephone box.
3. These Operations Specifications are approved by direction of the Administrator.



Robinson, Wilbert J.

Principal Maintenance Inspector

WP15

4. Date Approval is effective: 7/20/09

Amendment Number: 1

5. I hereby accept and receive the Operations Specifications in this paragraph.



Eggleston, Steve

Manager

Date: 7/20/09

**D100. Work to be Performed at a Place Other Than the
Repair Station Fixed Location(s)**

HQ Control: 11/16/04
HQ Revision: 050


- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

| Work Authorized | Repair Stations Manual References | Quality Control Manual References |
|---|---|--|
| All services for which the Repair Station is rated. | DK Turbine, LLC Repair Station Manual, page 5 | |

- b. The certificate holder **may not** perform **continuous** operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.


Robinson, Wilbert J.

Principal Maintenance Inspector

WP15

3. Date Approval is effective: 12/27/04 Amendment Number: 1
4. I hereby accept and receive the Operations Specifications in this paragraph.


Eggleston, Steve

Manager

Date: 12/27/04